Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	11802	709/223	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR ·	OFF	2007/05/30 17:27
L2	24451	maximum with print\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	OFF	2007/05/30 17:28
L3	4472	maximum with queue	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	OFF	2007/05/30 17:28
L4	49	2 same 3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	OFF	2007/05/30 17:28
L5	12022389	(@rlad<"20010628" @ad<"20010628")	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/05/30 17:33
L6	34	4 and 5	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/05/30 17:33
S1	0	"20030005097"	USPAT	OR	OFF	2007/05/30 16:14
S2	1	"20030005097"	US-PGPUB; USPAT	OR	OFF	2005/12/27 10:25
S3	1	"20030005097" and policy	US-PGPUB; USPAT	OR	OFF	2005/12/27 10:36
S4	1	"20030005097" and policy	US-PGPUB; USPAT	OR	ON	2005/12/27 10:36
S5	9	"952513"	US-PGPUB; USPAT; EPO	OR	ON	2005/12/27 10:37
S6	5	"6678068"	US-PGPUB; USPAT; EPO	OR	ON	2005/12/27 10:37

S7	1	"6820124"	US-PGPUB;	OR	ON	2005/12/27 17:24
			USPAT; EPO			,
S8	5	"6628413"	US-PGPUB; USPAT; EPO	OR	ON	2005/12/27 10:42
S9	0	"10043924"	US-PGPUB; USPAT; EPO	OR	ON	2005/12/27 17:24
S10	15	"6538669"	US-PGPUB; USPAT; EPO	OR	ON	2005/12/27 17:24
S11	5400282	system (manager\$1 operator\$1 administrator\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/06/02 11:16
S12	5002125	system (manager\$1 operator\$1 administrator\$1) and print\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/06/02 11:03
S13	149302	system and (manager\$1 operator\$1 administrator\$1) and print\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/06/02 11:03
S14 [']	55785	system near15 (manager\$1 operator\$1 administrator\$1) and print\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/06/02 11:03
S15	2651	system near15 (manager\$1 operator\$1 administrator\$1) and (network near2 print\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/06/02 11:15
S16	11956317	(@rlad<"20010628" @ad<"20010628")	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/08/17 18:56
S17	1757	S15 and S16	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/06/02 11:16

			•			
S18	338722	S11 same (sav\$3 stor\$3 queu\$4) same (specification configuration configure rule\$1 setting condition\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/06/02 11:22
S19	853	S18 and S17	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/06/02 16:06
S20	341877	S11 same (sav\$3 stor\$3 queu\$4) same (specification configuration configure rule\$1 polic\$2 setting condition\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/06/02 11:22
S21	5400282	system (manager\$1 operator\$1 administrator\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/06/02 16:57
S22	11956317	(@rlad<"20010628" @ad<"20010628")	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/06/02 16:06
S23	341877	S21 same (sav\$3 stor\$3 queu\$4) same (specification configuration configure rule\$1 polic\$2 setting condition\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/06/02 16:57
S24	166708	S23 and S22	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/06/02 16:08
S25	1625	S24 and (network near2 print\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/06/02 16:08
S26	1553	S24 and (network near2 print\$2) and printer\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/06/02 17:02
S27	4426	358/1.15	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/06/02 16:10

		LAST Scarc	,			
S28	281	S26 and S27	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/06/02 16:19
S29	5400282	system (manager\$1 operator\$1 administrator\$1 administrator)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/06/02 16:56
S30	687497	S21 and (sav\$3 stor\$3 queu\$4) same (specification configuration configure rule\$1 polic\$2 setting condition\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/06/02 16:58
S31	1135791	(manager\$1 operator\$1 administrator\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/06/02 16:57
S32	235677	S31 and (sav\$3 stor\$3 queu\$4) same (specification configuration configure rule\$1 polic\$2 setting condition\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/06/02 17:02
533	131860	S32 and S22	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/06/02 17:02
S34	1918	S33 and (network near2 print\$2) and printer\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR .	ON	2006/06/02 18:40
S35	358	S34 and S27	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/06/02 17:03
S36	154	S34 and S27 and queue	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/06/02 18:40
S37	154	S34 and S27 and queue and printers	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/06/02 18:40

			•	•		
S38	18962	S33 and network and printers	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/06/02 18:41
S39	8828	S33 and network same printers	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/06/02 18:41
S40	640	S39 and S27	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/06/02 18:41
S41	234	S39 and S27 and queue	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/06/02 18:42
S42	247	S39 and S27 and queue\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/06/02 18:42
S43	0	"20030005097"	USPAT	OR	OFF	2006/06/02 19:05
S44	1	"20030005097" .	US-PGPUB; USPAT	OR	OFF	2006/06/02 19:05
S45	1	"20030005097" and policy	US-PGPUB; USPAT	OR	OFF	2006/06/02 19:05
S46	1	"20030005097" and policy	US-PGPUB; USPAT	OR	ON	2006/06/02 19:05
S47	11	"952513"	US-PGPUB; USPAT; EPO	OR	ON	2006/06/02 19:05
S48	5	"6678068"	US-PGPUB; USPAT; EPO	OR	ON	2006/06/02 19:05
549	1	"6820124"	US-PGPUB; USPAT; EPO	OR	ON	2006/06/02 19:05
S50	6	"6628413"	US-PGPUB; USPAT; EPO	OR	ON	2006/06/02 19:05
S51	0	"10043924"	US-PGPUB; USPAT; EPO	OR	ON	2006/06/02 19:05

CEO	22	licrooccol!	1.10.000.10		T	
S52	22	"6538669"	US-PGPUB; USPAT; EPO	OR	ON	2006/06/02 19:05
S53	5400282	system (manager\$1 operator\$1 administrator\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/06/02 19:05
S54	5002125	system (manager\$1 operator\$1 administrator\$1) and print\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/06/02 19:05
S55	149302	system and (manager\$1 operator\$1 administrator\$1) and print\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/06/02 19:05
S56	55785	system near15 (manager\$1 operator\$1 administrator\$1) and print\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/06/02 19:05
S57	2651	system near15 (manager\$1 operator\$1 administrator\$1) and (network near2 print\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/06/02 19:05
S58	11956317	(@rlad<"20010628" @ad<"20010628")	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/06/02 19:05
S59	1757	S57 and S22	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/06/02 19:05
S60	338722	S21 same (sav\$3 stor\$3 queu\$4) same (specification configuration configure rule\$1 setting condition\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/06/02 19:05
S61	853	S60 and S59	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/06/02 19:05

		LASI Searc				
S62	341877	S21 same (sav\$3 stor\$3 queu\$4) same (specification configuration configure rule\$1 polic\$2 setting condition\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/06/02 19:05
S63	3	(rule\$1 parameter\$1) near5 (creat\$3 generat\$3) near5 (print\$2 adj queue\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/08/17 19:01
S64	0	(@rlad<"20010628" @ad<"20010628") and S63	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/08/17 18:57
S65	156	(creat\$3 generat\$3) near5 (print\$2 adj queue\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/08/17 19:03
S66	109	(@rlad<"20010628" @ad<"20010628") and S65	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/08/17 18:58
S67	14	(administrator\$1 user\$1) near5 (creat\$3 generat\$3) near5 (print\$2 adj queue\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/08/17 19:04
S68	8	(@rlad<"20010628" @ad<"20010628") and S67	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/08/17 19:01
S69	6	(rule\$1 parameter\$1) near5 (print\$2 adj queue\$1) near10 (user\$1 admin\$8)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/08/17 19:02
S70	1	(@rlad<"20010628" @ad<"20010628") and S69	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/08/17 19:02
S71	10	(rule\$1 parameter\$1 policy) near10 (print\$2 adj queue\$1) near10 (user\$1 admin\$8)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/08/17 19:02

S72	2	(@rlad<"20010628" @ad<"20010628") and S71	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/08/17 19:04
S73	1619	(print\$2 adj queue\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/08/17 19:03
S74	1058	(@rlad<"20010628" @ad<"20010628") and S73	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/08/17 19:04
S75	784	(administrator\$1 user\$1) same (print\$2 adj queue\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON .	2006/08/17 19:04
S76	787	(admin\$8 user\$1) same (print\$2 adj queue\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON .	2006/08/17 19:05
S77	327	(produc\$4 new generat\$3 creat\$3 develop\$3 mak\$3) near15 (print\$2 adj queue\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/08/17 19:06
S78	2	"0824235"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	OFF	2006/12/06 17:06
S79	24	"824235"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	OFF	2006/12/06 17:08
S80	1	"20030005097"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	OFF	2006/12/06 17:08
S81	1	"6989910".pn.	USPAT	OR	OFF	2006/12/08 12:27
S82	3822	358/1.15	USPAT	OR	OFF	2006/12/08 12:27

S83	0	"20030005097"	USPAT	OR	OFF	2006/12/08 12:27
S84	1	"20030005097"	US-PGPUB; USPAT	OR	OFF	2006/12/08 12:27
S85	1	"20030005097" and policy	US-PGPUB; USPAT	OR	OFF	2006/12/08 12:27
S86	1	"20030005097" and policy	US-PGPUB; USPAT	OR	ON	2006/12/08 12:27
S87	12	"952513"	US-PGPUB; USPAT; EPO	OR	ON	2006/12/08 12:27
S88	6	"6678068"	US-PGPUB; USPAT; EPO	OR	ON	2006/12/08 12:27
S89	1	"6820124"	US-PGPUB; USPAT; EPO	OR	ON	2006/12/08 12:27
S90	13	"6628413"	US-PGPUB; USPAT; EPO	OR	ON	2006/12/08 12:27
S91	0	"10043924"	US-PGPUB; USPAT; EPO	OR	ON	2006/12/08 12:27
S92	29	"6538669"	US-PGPUB; USPAT; EPO	OR	ON	2006/12/08 12:27
S93	5635110	system (manager\$1 operator\$1 administrator\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/12/08 12:27
S94	5232126	system (manager\$1 operator\$1 administrator\$1) and print\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/12/08 12:27
S95	160298	system and (manager\$1 operator\$1 administrator\$1) and print\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/12/08 12:27
S96	60633	system near15 (manager\$1 operator\$1 administrator\$1) and print\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/12/08 12:28

		LAST Scare	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	,		
S97	2950	system near15 (manager\$1 operator\$1 administrator\$1) and (network near2 print\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/12/08 12:28
S98	11995434	(@rlad<"20010628" @ad<"20010628")	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/12/08 12:28
S99	1879	S97 and S98	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/12/08 12:28
S10 0	361911	S93 same (sav\$3 stor\$3 queu\$4) same (specification configuration configure rule\$1 setting condition\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/12/08 12:28
S10 1	905	S100 and S99	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/12/08 12:28
S10 2	365511	S93 same (sav\$3 stor\$3 queu\$4) same (specification configuration configure rule\$1 polic\$2 setting condition\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/12/08 12:28
S10 3	11995434	(@rlad<"20010628" @ad<"20010628")	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/12/08 12:28
S10 4	5073	358/1.15	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/12/08 12:28
S10 5	1182159	(manager\$1 operator\$1 administrator\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/12/08 12:28
S10 6	253842	S105 and (sav\$3 stor\$3 queu\$4) same (specification configuration configure rule\$1 polic\$2 setting condition\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/12/08 13:24

			•			
S10 7	135851	S106 and S103	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/12/08 12:28
S10 8	2058	S107 and (network near2 print\$2) and printer\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/12/08 12:28
S10 9	404	S108 and S104	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/12/08 12:28
S11 0	173	S108 and S104 and queue	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR .	ON	2006/12/08 12:28
S11 1	173	S108 and S104 and queue and printers	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/12/08 12:28
S11 2	9366	S107 and network same printers	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/12/08 12:28
S11 3	721	S112 and S104	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/12/08 12:28
S11 4	259	S112 and S104 and queue	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/12/08 12:28
S11 5	272	S112 and S104 and queue\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/12/08 12:28
S11	0	"20030005097"	USPAT	OR	OFF	2006/12/08 12:28
S11 7	1	"20030005097" and policy	US-PGPUB; USPAT	OR	ON	2006/12/08 12:28

		EAST Scarc		•		
S11 8	0	"10043924"	US-PGPUB; USPAT; EPO	OR	ON	2006/12/08 12:28
S11 9	2950	system near15 (manager\$1 operator\$1 administrator\$1) and (network near2 print\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/12/08 12:28
S12 0	1879	S119 and S103	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/12/08 12:28
S12 1	1	"20030005097"	US-PGPUB; USPAT	OR	OFF	2006/12/08 12:28
S12 2	1	"20030005097" and policy	US-PGPUB; USPAT	OR	OFF	2006/12/08 12:28
S12 3	1	"6820124"	US-PGPUB; USPAT; EPO	OR	ON	2006/12/08 12:28
S12 4	12	"952513"	US-PGPUB; USPAT; EPO	OR	ON	2006/12/08 12:28
S12 5	6	"6678068"	US-PGPUB; USPAT; EPO	OR	ON	2006/12/08 12:28
S12 6	13	"6628413"	US-PGPUB; USPAT; EPO	OR	ON	2006/12/08 12:28
S12 7	29	"6538669"	US-PGPUB; USPAT; EPO	OR	ON	2006/12/08 12:28
S12 8	160	(creat\$3 generat\$3) near5 (print\$2 adj queue\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/12/08 12:28
S12 9	3	(rule\$1 parameter\$1) near5 (creat\$3 generat\$3) near5 (print\$2 adj queue\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/12/08 12:28
S13 0	0	(@rlad<"20010628" @ad<"20010628") and S129	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/12/08 12:28

		LAST Scare	,			,
S13 1	344	(produc\$4 new generat\$3 creat\$3 develop\$3 mak\$3) near15 (print\$2 adj queue\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/12/08 12:28
S13 2	6	(rule\$1 parameter\$1) near5 (print\$2 adj queue\$1) near10 (user\$1 admin\$8)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/12/08 12:28
S13 3	12	(rule\$1 parameter\$1 policy) near10 (print\$2 adj queue\$1) near10 (user\$1 admin\$8)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/12/08 12:28
S13 4	827	(admin\$8 user\$1) same (print\$2 adj queue\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/12/08 12:28
S13 5	1	(@rlad<"20010628" @ad<"20010628") and S132	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/12/08 12:28
S13 6	824	(administrator\$1 user\$1) same (print\$2 adj queue\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/12/08 12:28
S13 7	1706	(print\$2 adj queue\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/12/08 12:28
S13 8	1087	(@rlad<"20010628" @ad<"20010628") and S137	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/12/08 12:28
S13 9	2	(@rlad<"20010628" @ad<"20010628") and S133	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/12/08 12:28
S14 0	14	(administrator\$1 user\$1) near5 (creat\$3 generat\$3) near5 (print\$2 adj queue\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/12/08 12:28

			-			
S14 1	8	(@rlad<"20010628" @ad<"20010628") and S140	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/12/08 12:28
S14 2	109	(@rlad<"20010628" @ad<"20010628") and S128	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/12/08 12:28
S14 3	2	"0824235"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	OFF	2006/12/08 12:28
S14 4	24	"824235"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	OFF	2006/12/08 12:28
S14 5	1	"20030005097"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	OFF	2006/12/08 12:28
S14 6	1	"20030149761"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/12/08 13:29
S14 7	2	"0952513"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/02/14 12:54
S14 8	16	"952513"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/02/14 12:55
S14 9	2614	print near5 queue\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/02/14 15:12

		LAST Searc	,			
S15 0	6	(rule\$1 parameter\$1) near5 (print\$2 adj queue\$1) near10 (user\$1 admin\$8)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/02/14 15:13
S15 1	1	(@rlad<"20010628" @ad<"20010628") and S150	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/02/14 15:13
S15 2	1	S151	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/02/14 15:13
S15 3	12007366	(@rlad<"20010628" @ad<"20010628")	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/02/14 15:13
S15 4	690	manag\$3 same S149	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/02/14 15:13
S15 5	432	S154 and S153	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/02/14 15:14
S15 6	432	S155 and S149	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/02/14 15:15
S15 7	420	creat\$3 same S149	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/02/14 15:15
S15 8	95	S157 and S156	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/02/14 15:15
S15 9	1	"20040162879"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/02/16 12:18

S16	1	"20040162879" and header	US-PGPUB;	OR	ON	2007/02/16 13:42
0			USPAT; USOCR; EPO; JPO; IBM_TDB	\$ •		
S16 1	12007703	(@rlad<"20010628" @ad<"20010628")	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/02/16 13:43
S16 2	117	subscription near5 header	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/02/16 13:44
S16 3	68	S162 and S161	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/02/16 13:50
S16 4	4	S163 and (header with mail)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/02/16 13:44
S16 5	3	("2002/0087649").URPN.	USPAT	OR	ON	2007/02/16 13:47
S16 6	1	S165 and S161	USPAT	OR	ON	2007/02/16 13:47
S16 7	60	S163 and ((electronic) "e-mail" email)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/02/16 13:50
S16 8	7	"6678068"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	OFF	2007/05/30 17:27